

Stephen F. Austin State University

SFA ScholarWorks

Informal Project Reports

East Texas Pine Plantation Research Project

11-1996

Project Report No. 50, Site Index Equations for Loblolly and Slash Pine Plantations in East Texas, Update: Fall 1996

Chris Bergt

Stephen F. Austin State University

Chris Edmonson

Stephen F. Austin State University

Jason Gibson

Stephen F. Austin State University

Robert Hactel

Stephen F. Austin State University

John Hamilton

Stephen F. Austin State University

See next page for additional authors

Follow this and additional works at: https://scholarworks.sfasu.edu/etpprp_project_reports



Part of the [Other Forestry and Forest Sciences Commons](#)

[Tell us](#) how this article helped you.

Repository Citation

Bergt, Chris; Edmonson, Chris; Gibson, Jason; Hactel, Robert; Hamilton, John; Hasagama, Michael; Jordan, Justin; Leary, David; Motheral, Clif; Smith, Nathan; Wallace, Jason; and Wright, Steven, "Project Report No. 50, Site Index Equations for Loblolly and Slash Pine Plantations in East Texas, Update: Fall 1996" (1996). *Informal Project Reports*. 22.

https://scholarworks.sfasu.edu/etpprp_project_reports/22

This Report is brought to you for free and open access by the East Texas Pine Plantation Research Project at SFA ScholarWorks. It has been accepted for inclusion in Informal Project Reports by an authorized administrator of SFA ScholarWorks. For more information, please contact cdsscholarworks@sfasu.edu.

Authors

Chris Bergt, Chris Edmonson, Jason Gibson, Robert Hactel, John Hamilton, Michael Hasagama, Justin Jordan, David Leary, Clif Motheral, Nathan Smith, Jason Wallace, and Steven Wright

Site Index Equations
for
Loblolly and Slash Pine Plantations
in
East Texas

Update: Fall 1996

by

Chris Bergt
Chris Edmonson
Jason Gibson
Robert Hactel
John Hamilton
Michael Hasagama
Justin Jordan
David Leary
Clif Motheral
Nathan Smith
Jason Wallace
Steven Wright



(all of whom were FOR 317 students Fall '96)

REPORT 50

From
the

East Texas Pine Plantation Research Project
Arthur Temple College of Forestry
SFASU
Nacogdoches, TX 75962

November ... 1996

SITUATION

Site index prediction equations for loblolly (*Pinus taeda* L.) and slash (*Pinus elliottii* Engelm.) pine plantations in East Texas have been previously developed and published by:

Lenhart, J. D., E. V. Hunt, Jr. and J. A. Blackard. 1986. Site index equations for loblolly and slash pine plantations on non-old-field in East Texas. *South. J. Appl. For.* 10(2):109-112.

Vaughn, A. B., J. Lapongan and J. D. Lenhart. 1993. Site index equations for loblolly and slash pine plantations in East Texas - Update: 1993. ETPPRP Report 27. College of Forestry. SFASU. 6 p.

Members FOR 317 Class Spring '94. 1994. Site index equations for loblolly and slash pine plantations in East Texas - Update: 1994. ETPPRP Report 29. College of Forestry. SFASU. 7 p.

Members FOR 317 Class Spring '95. 1995. Site index equations for loblolly and slash pine plantations in East Texas - Update: 1995. ETPPRP Report 37. College of Forestry. SFASU. 6 p.

Members FOR 317 Class Spring '96. 1996. Site index equations for loblolly and slash pine plantations in East Texas - Update: 1996. ETPPRP Report 43. College of Forestry. SFASU. 6 p.

Each published set of equations was developed from analyses of East Texas Pine Plantation Research Project (ETPPRP) data collected from the array of ETPPRP permanent research plots located throughout East Texas.

Since the ETPPRP plots are measured on a 3-year cycle, the number of age-height pairs available for site index analysis is increasing:

The 1986 equations:	150 loblolly and	75 slash.
The 1993 equations:	608 loblolly and	264 slash.
The 1994 equations:	653 loblolly and	296 slash.
The 1995 equations:	1,428 loblolly and	630 slash.
The 1996 equations:	1,520 loblolly and	658 slash.

This update utilizes height-age pairs measured from 1982 - 1996. As a result, the number of observations available for analysis is 1,607 loblolly and 722 slash.

It is anticipated that the equations in this Fall 1996 update may quantify the productivity of East Texas loblolly and slash pine plantations in a more accurate and reliable manner than the five previous sets of equations.

PLANTATION MEASUREMENTS

Each ETPPRP plot consists of two subplots separated by a 60' buffer zone. An experimental design of this manner provides the opportunity to:

- Evaluate models in an independent manner.
- Explore effects of different treatments.
- Investigate regression models.

As was the practice in the two previous site index analyses, each subplot was considered a separate sampling unit in this Fall 1996 study.

The characteristics of the 1,607 loblolly pine and 722 slash pine observations at least one year old and one foot in height that were utilized in this study can be summarized as:

<p>Plantation Age</p> <p>Number of Years Since Planting</p> <p>(A)</p> <hr/> <p>LOBLOLLY...</p> <p>Mean = 10.9 yrs. Range = 1- 27 yrs</p> <p>SLASH...</p> <p>Mean = 10.7 yrs. Range = 1- 26 yrs.</p> <hr/>	<p>Plantation Height</p> <p>Average total height in feet of tallest trees in an area of interest</p> <p>(H)</p> <hr/> <p>LOBLOLLY...</p> <p>Mean = 36.4 ft. Range = 2 - 100 ft.</p> <p>SLASH...</p> <p>Mean = 35.8 ft. Range = 2 - 89 ft.</p> <hr/>	<p>Site Index</p> <p>Expected total height in feet of tallest trees in an area of interest at 25 years</p> <p>(S)</p> <hr/> <p>LOBLOLLY...</p> <p>Mean = 69.3ft. Range = 24 - 246 ft.</p> <p>SLASH...</p> <p>Mean = 74.8ft. Range = 15 - 132</p> <hr/>
--	---	--

PREDICTING HEIGHT

The same height prediction function used in 1986, 1993, 1994, 1995 and 1996 was utilized in this Fall 1996 update. As a result of fitting the Richards' function, using non-linear regression analysis, to the age and height pairs, height can be estimated as:

LOBLOLLY

$$H = 81.27099 [1 - \text{EXP}(-0.09509(A))]^{1.69251} \quad (1)$$

SLASH

$$H = 113.71600 [1 - \text{EXP}(-0.05151(A))]^{1.31033} \quad (2)$$

A residual analysis of equations (1) and (2) compared the predicted and observed heights for the evaluation subplot data sets and indicated no bias or adverse trends for either species.

PREDICTING SITE INDEX

Using procedures from the five previous papers, the height estimation or guide curves (1) and (2) were converted into equations to estimate site index with index age = 25 years as:

LOBLOLLY


$$S = H \{0.90719 / [1 - \text{EXP}(-0.09509(A))]\}^{1.69251} \quad (3)$$

SLASH


$$S = H \{0.72411 / [1 - \text{EXP}(-0.05151(A))]\}^{1.31033} \quad (4)$$

Equations (3) and (4) were rearranged to estimate H for a given A and S, and anamorphic site index curves were developed for each species (last two pages in this update).

**SITE INDEX CURVES
FOR LOBLOLLY PINE PLANTATIONS
IN EAST TEXAS BASE AGE 25 YEARS.**



**SITE INDEX CURVES
FOR SLASH PINE PLANTATIONS
IN EAST TEXAS BASE AGE 25 YEARS.**



FOR INFORMATION OF THE USER, THIS DOCUMENT IS UNCLASSIFIED